

Asian Journal of Agricultural Extension, Economics & Sociology

40(11): 586-593, 2022; Article no.AJAEES.94082

ISSN: 2320-7027

Land Use Changes in the Kerala State, India: A Temporal Analysis

Shilpa Mathew a++* and A. Prema a#

Department of Agricultural Economics, College of Agriculture, Vellanikkara, Thrissur-680656, Kerala, India.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJAEES/2022/v40i111750

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/94082

Original Research Article

Received 18 September 2022 Accepted 23 November 2022 Published 26 November 2022

ABSTRACT

The land is a vital input among all the production resources. The land utilization pattern in Kerala has undergone tremendous change over the years. The present study examines the temporal variations of land use categories in Kerala from 1985-2019. The time series data on the area under land use categories were collected from various published sources and the analysis was done at the state level. The GSVA agriculture at constant prices (1985-2019) data were used to estimate the trend breaks. The growth and instability of the land use categories were estimated using CAGR and Cuddy-Della Valle instability index. The land put to non-agricultural uses, cultivable waste, current fallow and other fallow land categories exhibited positive annual growth rates in the overall period. The permanent pastures with an instability index value of 65.16 per cent was the most unstable land use category. The trend of decline in arable land and an increase in share of uncultivable land over the years was noticed in Kerala.

Keywords: Growth: Kerala: land reforms: land use: policy: population: urbanization.

^{**} Research Scholar;

[#] Professor,

^{*}Corresponding author: E-mail: shilpamathew111@gmail.com;

1. INTRODUCTION

Land endowment, a prime natural resource, is the basic input for agriculture. The land is fixed in supply with unique characteristics like nonreproducibility, specificity to location, immobility and instrumentality. Land use is defined as any permanent or cyclic human intervention to satisfy human needs [1]. The land use pattern of a region is determined by physical, economic, institutional and technological factors [2,3]. The methods of land use in Kerala have changed over the past half-century or so. Shijitha [4] revealed that as the economy develops, the impact of a transformation from agriculture to non-agriculture activities, rural life to urban agglomerations reflects in the changes in land utilisation pattern. A study by Karunakaran [5] reported that intensive and extensive land use is high in Kerala, mainly due to the low per capita land availability. The per capita availability of land in the state is only 0.12 ha [6].

Nair and Dhanuraj [7] in their study revealed that the implementation of land reforms in Kerala resulted in the fragmentation of landholdings which ultimately led to significant land use changes. This is evident from the statistics that, the average size of operational holding in Kerala in 1970-71 was 0.57 ha which substantially declined to 0.18 ha in 2015-16 [8]. Thus the implementation of the Land Reforms Act of 1963 played a pivotal role in bringing significant changes in the land utilisation pattern of Kerala [9,10]. Apart from this, population pressure, urbanisation, migration and inflow of remittances augmented the diversion of land for nonagricultural purposes. In 1971, the urban population was (16%) in Kerala, whereas in 2011, it was noted to be (92.72%) [11]. The percentage of land used for non-agricultural purposes has increased significantly from (7.17%) in 1985-86 to 11.60% in 2019-2020. On the other hand, the net sown area decreased from (56.38%) in 1985-1986 to (52.42%) in 2019-20. This land use change poses a threat to food security and environmental sustainability of the state [12-14]. Therefore a scientific study of the land use pattern is imperative for formulating pertinent land use policies. Against this backdrop, the study has been undertaken to assess the temporal variations of land use categories in Kerala.

2. METHODOLOGY

The study was based on secondary data for the period 1985-2019. The time series data on area

under various land use classes of the state were obtained from Statistics for Planning, Agricultural Statistics at a Glance published by the Government of Kerala. The entire study period of 35 years was subdivided into six sub-periods. The GSVA agriculture at constant prices data (1985-2019) were used to obtain trend breaks and the breaks were obtained by conducting trend break analysis in *R studio* software [15]. The analysis resulted in obtaining 5 break points, therefore the resultant six phases obtained for the study are period I (1985-89), period II (1990-94), period III (1995-2003), period IV (2004-2009), period V (2010-2014) and period VI (2015-19).

2.1 Growth Rate Analysis

The annual growth in the area of the land use categories were estimated using the exponential growth function of the form:

$$Y_t = ab^t e^u$$

Where,

 Y_t = Dependent variable for which growth rate was estimated

a = Intercept

b = Regression coefficient

t = Time trend (Years which take values 1, 2,.., n)

u = Disturbance term for the year 't'

The CAGR values were calculated using the LOGEST function in MS Excel. The standard error of the growth rate was estimated and tested for its significance with 't' statistic.

2.2 Instability Analysis

The instability of the land use categories were estimated using Cuddy-Della Valle instability index.

IIN =
$$(\frac{\sigma}{\mu} \times 100) \times (1 - \overline{R}^{2})^{0.5}$$

Where,

 \overline{R}^2 = Adjusted coefficient of determination

μ = Mean

 σ = Standard deviation

The instability index values ranging from 0 to 15% indicates low instability, 15% to 30% indicates medium instability and greater than 30% denotes high instability.

3. RESULTS AND DISCUSSION

The trend and instability in areas under various land use categories were estimated for the period 1985-2019. The dynamics of land use classes in Kerala is depicted in Table 1. It could be observed from Table 1 that the forest area remained constant from TE 1987-88 to TE 2019-20

In TE 1987-88, the percentage of land allocated to non-agricultural uses of the total geographic area was (7.08%), gradually increasing to (11.60%) in TE 2019-20. On the other hand, the proportions of barren lands, permanent pastures and the area planted with various tree crops decreased over the years. Barren (non-cultivable) land made up (2.03%) of the total geographic area at TE 1987-88, had dropped significantly to (0.26%) at TE 2019-20.

The area under cultivable waste declined from 123500 ha to 97599 ha. An increase in share of current fallow and other fallow land over the years was observed in the study. The labour shortage, migration and non-remunerative income from paddy cultivation enhanced the share of fallow land in Kerala. The share of area sown more than once declined from (17.40%) in TE 197-88 to (13.92%) during TE 2019-20.

The other land use category formed in the year 2005 showed a marginal increase from (2.54%) in TE 2009-10 to (2.70%) in TE 2019-20. The arable land or land suitable for cultivation had a remarkable decline from (62.94%) in TE 1987-88 to (57.68%) in TE 2019-20. On the contrary, the total uncultivable land leaped up from (37.05%) to (42.41%). This revealed that the share of agricultural land area was dwindling in the state.

3.1 Growth Rate

The annual growth rates of land use classes for the period 1985-2019 are presented in Table 2. Since there was no change in area of forest from 1985, the CAGR was observed to be zero. The land utilised for non-agricultural purposes, exhibited an annual growth rate of (1.66%) in period I, (1.70%) in period II and (3.32%) during period III. However, during period IV, the land put to non-agricultural uses, showed a negative annual growth rate of (-2.03%). This trend of this land category during this phase was due to the enactment of Kerala Conservation of Paddy and Wetland Act in 2008, which restricted the conversion of paddy fields and wetlands for the

non-agricultural activities. In the fifth and sixth phases, the land put to non-agricultural uses increased at an annual rate of (2.08%) and (1.77%). The growth rate of this land category for the overall period was (1.48%).

The barren and uncultivable land, permanent pastures and other grazing lands and land under miscellaneous tree crops showed a declining trend in all six periods and in the overall period. The CAGR of barren land, permanent pastures and miscellaneous tree crops for the overall period was (-5.85%), (-16.84%) and (-10.20%). The illegal encroachment by the people for cultivation on pasture lands led to the substantial decline of this land category in the overall period. The cultivable wasteland exhibited negative growth rates of (-4.42%), (-4.28%) and (-2.72%) in phase I, phase II and phase III respectively. In the subsequent fourth and fifth phases, the growth rates were positive. The extensive use of land for non-agricultural activities resulted in the decline of cultivable wastelands.

In the case of the current fallow land category, the highest compound annual growth rates were reported in the third and fourth phases, with an annual growth rate of (6.39%) and (2.46%) respectively. The decline in area sown more than once during these phases contributed to the increase of fallow land categories. The labour intensive and non-profitable cultivation of paddy compelled the farmers to leave their land fallow leading to the increase in share of fallow lands in the respective phases. However, during the fifth and sixth phases, the current fallow land had negative growth rates of (-0.92%) and (-4.51%) which was mainly due to the introduction of fallow less panchayat scheme by GoK in 2010.

In the first and second phases, the growth rates of net area sown were (0.36%) and (0.17%). In the subsequent third, fourth and fifth phases, the growth rates were (-0.43%), (-0.91% and (-0.40%). The overall growth rate was (-0.39%). Although the area sown more than once witnessed positive growth rates of (4.78%), (1.03%) and (0.16%) in the period I, period II and period III, in the succeeding phases there was a declining trend. In the overall period, the CAGR was (-1.09%). In the first phase, the arable land showed a positive growth rate of (0.02%), but in the later phases, the growth rates were negative. On the contrary, the total uncultivable land experienced a negative growth rate of (-0.03%) in the first phase and in the subsequent phases the growth rates were positive.

Table 1. Dynamics of land use classes in Kerala (in hectare)

Land use classes	TE 1987-88	TE 1989-90	TE 1994-95	TE 2003-04	TE 2009-10	TE 2014-15	TE 2019-20
Forests	1081509	1081509	1081509	1081509	1081509	1081509	1081509
	(27.83)	(27.83)	(27.83)	(27.83)	(27.83)	(27.83)	(27.83)
Land put to	275466 (7.08)	284700 (7.32)	309957 (7.97)	394188	373206	409177	450995 (11.60)
non-agricultural uses				(10.15)	(9.60)	(10.53)	
Barren and uncultivable	79313 (2.03)	69888 (1.80)	52462 (1.35)	29370	24168	14320 (0.37)	10598 (0.26)
land				(0.76)	(0.62)		
Permanent pastures	3667	3100	1617.67	271	224	43 (0.00)	0 (0.00)
and other grazing land	(0.09)	(0.08)	(0.04)	(0.00)	(0.00)		
Land under	45800	40066	33497	12489	5607	2657 (0.07)	2168 (0.06)
miscellaneous	(1.18)	(1.03)	(0.86)	(0.32)	(0.14)		
tree crops							
Cultivable	123500	112833	88148	66774	95657	98113	97599
waste	(3.18)	(2.90)	(2.27)	(1.72)	(2.46)	(2.52)	(2.51)
Fallow other than current	28166	27900	27688	38257	45514	55974	47311
fallow	(0.72)	(0.71)	(0.71)	(0.98)	(1.17)	(1.44)	(1.22)
Current	45066	46733	44330	72915	75885	71016	57457
fallow	(1.16)	(1.20)	(1.14)	(1.88)	(1.95)	(1.83)	(1.48)
Net area	2203008	2218766	2246286	2189722	2085566	2047328	2037094
sown	(56.70)	(57.10)	(57.81)	(56.36)	(53.66)	(52.68)	(52.42)
Area	675915	742033	803433	782641	622672	563681	541058
sown more than once	(17.40)	(19.10)	(20.68)	(20.14)	(16.02)	(14.50)	(13.92)
Gross cropped	2878922	2960800	3045833	2972363	2708238	2611009	2578152
area	(74.10)	(76.19)	(78.39)	(76.50)	(69.69)	(67.19)	(66.33)
Other land use	0	0	0	0	98948 (2.54)	106147 (2.73)	105279 (2.71)
Arable land	2445541	2446300	2439950	2380158	2308230	2275089	2241630
	(62.94)	(62.94)	(62.80)	(61.26)	(59.39)	(58.54)	(57.68)
Total uncultivable land	1439955	1439197	1445546	1505338	1578056	1611197	1648381
	(37.05)	(37.04)	(37.20)	(38.74)	(40.61)	(41.46)	(42.41)
Total geographic area	3885497	3885497	3885497	3885497	3886287	3886287	3886287
	(100)	(100)	(100)	(100)	(100)	(100)	(100)

^{*}Figures in parentheses indicate per cent to total geographical area * TE -Triennium
*Other land use classes (marshy land, water logged area, social forestry and still water)

Table 2. Compound Annual Growth Rates of land use categories in Kerala

Land use classes	1985-86 to 1989-90	1990-91 to 1994-95	1995-96 to 2003-04	2004-05 to 2009-10	2010-11 to 2014-15	2015-16 to 2019-20	Overall 1985-86 to 2019-20
Forests	0	0	0	0	0	0	0
Non-agricultural	1.66	1.70***	3.32***	-2.03**	2.08***	1.77***	1.48***
uses							
Barren land	-6.13**	-5.09***	-6.62***	-3.51***	-10.36***	-5.66***	-5.85***
Permanent	-8.05**	-11.92**	-22.83***	-5.24***	-32.08***	0	-16.84***
pastures & other							
grazing lands							
Misc. tree crops	-6.47***	-2.89**	-10.56***	-12.67***	-13.25***	-4.91***	-10.20***
Cultivable waste	-4.42	-4.28***	-2.72**	7.98***	0.73*	-0.54	0.04
Other fallow	-0.47	0.52	3.78***	2.51**	4.24**	-4.15***	2.79***
Current fallow	1.83*	-0.93*	6.39***	2.46**	-0.92	-4.51**	1.67***
Other land use	-	-	-	-	0.38	-0.32*	-0.23
classes							
Net area sown	0.36**	0.17	-0.43***	-0.91***	-0.40**	0.01	-0.39***
Area sown more	4.78*	1.03***	0.16	-4.96**	-1.25**	-2.23**	-1.09***
than once							
Gross cropped	1.41*	0.35***	-0.27**	-1.95***	-0.58***	-0.48***	-0.55***
area			-				
Arable land	0.02	-0.07**	-0.36***	-0.49***	-0.28***	-0.25***	-0.33***
Total uncultivable	-0.03	0.12**	0.60*	0.76***	0.41***	0.34***	0.51***
land		2 · · —					3.4.

^{***} denotes significant at 1% level ** denotes significant at 5% level * denotes significant at 10% level

Table 3. Instability indices of land use categories in Kerala

Land use classes	1985-86 to 1989-90	1990-91 to 1994-95	1995-96 to 2003-04	2004-05 to 2009-10	2010-11 to 2014-15	2015-16 to 2019-20	Overall 1985-86 to 2019-20
Forests	0	0	0	0	0	0	0
Land put to non- agricultural uses	1.52	0.49	2.80	3.38	2.14	0.41	4.70
Barren and uncultivable land	0.27	1.84	7.34	0.86	11.75	1.24	18.11
Permanent pastures	0.72	3.94	20.15	5.52	61.37	-	65.16
Land under misc.	0.11	1.09	4.20	3.73	11.42	2.40	22.12
tree crops							
Cultivable waste	2.30	1.62	5.65	4.33	2.31	1.65	21.32
Other fallow	2.97	3.99	4.65	2.31	2.86	2.52	9.78
Current fallow	0.98	2.85	4.89	5.50	4.74	4.57	15.13
Other land use classes	-	-	-	-	2.13	0.61	2.32
Net area sown	0.04	0.16	0.87	0.28	0.41	0.70	1.78
Area sown more than once	1.47	0.49	7.25	10.18	3.39	2.12	10.71
Gross cropped area	0.38	0.11	1.16	2.06	0.71	0.24	3.44
Arable land	0.35	0.13	0.54	0.16	0.32	0.10	0.85
Total uncultivable land	0.60	0.22	1.43	0.25	0.44	0.14	3.01




Fig. 1. Dynamics of land use categories in Kerala

This throws the light that the land area suitable for cultivation declined considerably in Kerala. The growth rates of arable land and total uncultivable land for the overall period were (-0.33%) and (0.51%). In the overall period, except for cultivable waste and other land use classes, the growth rates of all the land use categories were observed to be significant at 1% level.

3.2 Instability Index

The instability indices of the land use categories are presented in Table 3. Among the various land use classes, the most unstable one was permanent pastures and other grazing lands. The instability index substantially increased from (0.72%) in phase I to (61.37%) in phase V. Since 2016, the area under permanent pastures has been completely exhausted in Kerala. The overall instability index was (65.16%). Followed by the permanent pastures, the land under miscellaneous tree crops (22.12%) and cultivable wasteland (21.32%) were noted to be highly unstable. The current fallow and barren and uncultivable land exhibited a medium instability of (15.13%) and (18.11%). The most stable land use categories were arable land (0.85%) and net area sown (1.78%). The land put to nonagricultural uses was also reported to be highly stable (4.70%).

4. CONCLUSION

The land utilisation pattern in Kerala has undergone a tremendous change for the past few decades. The trend of conversion of land for nonagricultural purposes has been escalating in Kerala. These factors have contributed in the substantial increase in this land category. Appropriate policy measures must be undertaken to minimise the impact of these factors in aggravating land use shifts. Rural development programmes such as MGNREGA needs to be promoted on an extensive scale to bring underutilised lands under cultivation. The barren and uncultivable lands should be diverted for construction and other developmental activities. Even strict enforcement of acts pertaining to land use in Kerala is strongly recommended for evading underutilisation and land conversion.

ACKNOWLEDGEMENT

The author is grateful to Kerala Agricultural University for the technical and financial assistance for the research work and also sincerely acknowledge the Indian Council of Agricultural Research (ICAR) for providing the Senior Research Fellowship during the entire course period.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- 1. Vink APA. Land Use in Advancing Agriculture, Springer, Verlag, Berlin Heidelberg, New York.1975;1-394.
- 2. Ramasamy C, Balasubramanian R, Sivakumar SD. Dynamics of land use pattern with special reference to fallow lands- An empirical investigation in Tamil Nadu. Indian J. Agri. Econ. 2005;60(4): 629-644.
- 3. Gairhe S, Kulkarni GN, Reddy, VS. Land use dynamics in Karnataka: Post economic liberalization. Res. J. of Agri. Sci. 2011; 2(4): 921-923.
- 4. Shijitha M. Land use pattern in Kerala. Ph.D. thesis, University of Calicut. 2021; 1-190.
- 5. Karunakaran N. Determinants of changes in cropping pattern in Kerala. J. Rural Dev. 2014; 33(4): 367-376.
- 6. GoK [Government of Kerala]. Agricultural Statistics 2019-20. Directorate of Economics and Statistics, Thiruvananthapuram. 2021;1-244.
- 7. Nair L, Dhanuraj D. A Stagnant Agriculture in Kerala: The Role of the State Centre for Public Policy Research, Kochi. 2016; 1-18.
- 8. GoK [Government of Kerala]. Agricultural Statistics 2017-18. Directorate of

- Economics and Statistics, Thiruvananthapuram. 2019; 1-233.
- 9. Anjali K, Roshni T. Linking satellite-based forest cover change with rainfall and land surface temperature in Kerala, India. Environment, Development and Sustainability. 2022;24(9):11282-300.
- Skariah M, Suriyakala CD. Land use/land cover changes (1988–2017) in Central Kerala and the effect of urban builtup on Kerala floods 2018. Arabian Journal of Geosciences. 2022;15(10): 1-5.
- Kumar BP, Abraham MP. Leading issues and challenges in the agriculture sector of Kerala. Int. J. Res. Econ. Soc. Sci. 2021; 11(7): 138-150.
- 12. Rejula K, Singh R. An analysis of changing land use pattern and cropping pattern in a scenario of increasing food insecurity in Kerala state. Econ. Affairs 2015;60(1): 123-129.
- 13. Owino O. Structural transformation and spatio-temporal variations of agriculture in Kerala. MSc(Ag) thesis, Kerala Agricultural University, Thrissur. 2020; 196.
- Amale AJ, Shiyani RL, Ardeshna, NJ, Swaminathan B. Comparitive spatiotemporal analysis of land use pattern in India and Gujarat. Indian J. Econ. Dev. 2018;14 (1a): 160-167.
- Bai J, Perron P. Estimating and testing linear models with multiple structural changes. Econometrica. 1998;66(1):47-78.

© 2022 Mathew and Prema; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/94082