

Stochastic Modeling for the Analysis and Forecasting of Stock Market Trend using Hidden Markov Model

Gulbadin Farooq Dar^{a*}, Tirupathi Rao Padi^a, Sarode Rekha^a and Qaiser Farooq Dar^b

^a Ramanujan School of Mathematical Science, Department of Statistics, Pondicherry University, Puducherry - 605014, India.

^b Division of International Trade, Institute of Digital Economy, Incheon National University, Incheon - 22012, South Korea.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJPAS/2022/v18i130436

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc. are available here: <https://www.sdiarticle5.com/review-history/88569>

Original Research Article

*Received 10 April 2022
Accepted 20 June 2022
Published 22 June 2022*

Abstract

The HMM is generally applied to forecast the hidden system of observation data. In this paper, we deal with the development of HMM for a proper understanding of finance variables in the stock market. Formulation of relationships between and within both the changing share values of Housing Development Finance Corporation Bank Limited (HDFC Bank Ltd) as visible/observed states influenced by the indicators of S&P Bombay Stock Exchange Sensitive Index (Sensex) as invisible/influencing states. Stochastic modeling with hidden Markov models is carried out for exploring various parameters of the model. Mathematical derivations for all the required statistical measures are obtained using the method of moments for the proposed probability distribution. Deducing mathematical formulation of initial probability vector, transition and observed probability matrices were carried out with the empirical data sets. Probability distribution for visible states of various lengths is obtained. It is observed from the empirically analysis that there is the maximum likelihood of rising the share prices of HDFC bank in consecutive two days. Furthermore, an attempt is made to estimate the long-run steady-state behavior of both the SENSEX and HDFC Bank share prices. The share value of HDFC bank will be on rising state from the 19th day onwards and it may be recommended for good investment choice for the long run. The findings of these studies will be valid for effective decision-making in portfolio management.

*Corresponding author: Email: gulbadinstst.pu@gmail.com;

Keywords: Markov chain; hidden Markov models; parameters of HMM; stock market; portfolio management.

1 Introduction

The stock market is a global network that facilitates practically all significant economic activities at a dynamic and effective rate known as the stock value on the basis market stability. The stock market is a common term that now encompasses the entire world's economic activities. In other words, a stock market is a venue where individuals buy and sell equity shares of firms through stockbrokers. The participants of market are investors and traders who are looking for short-term and long-term rewards on their investments. Traders are looking for rapid rewards by keeping an eye on slight changes in the share price. Investors, on the other hand, have a long-term perspective and benefit from capital appreciation. Market pressures cause stock values to fluctuate every day. The legal platform on which equities are transacted and traded is the stock exchange. The Bombay Stock Exchange (BSE) and the National Stock Exchange (NSE) handle the majority of the Indian share market's transactions. Since 1875, the BSE has been in operation. The NSE was established in 1992 and began trading in 1994. Sensex and Nifty are two popular Indian stock market indicators for the two exchanges.

Stock markets are now an important aspect of the world economy. The market's volatility has an impact on our individual and company financial lives, as well as economic progress of a nation. The greater the significance of a stock's variance in relation to market swings, the more volatile it is. To put it in another way, it's a risky investment. In order to mitigate this investment risk, stochastic data analyses can be useful [1]. Due to its large returns, the stock market has traditionally been one of the most commercial and popular investments, according to Kuo. R J et.al in 1996 [2]. Financial analysts rarely have a complete understanding of stock market activity. Both financial analysts and investors, according to Umar MS and Musa TM in 2013, require daily data in predicting the stock prices trend behaviour [3]. Dar, Q et. al in 2020 used A time series regression approach in [4] for the visualization and forecasting of South Korean international trade using the time series data regarding the amounts of exports and imports. In this study have analyzed the impact of imports and exports on the country's GDP.

Predicting the value of stock offers substantial potential profit opportunities, which is a major driver of study in this area. Information of stock prices, even before a second, can result a good profit from the investment. Several factors influence stock prices in the stock market, such as political considerations, economic conditions of the state, performance of the company, industry factors, corporate factors, quality of health in the nation and investor psychological issues. The Markov chain model and HMM appear to be quite beneficial in analyzing and predicting future stock price behavior in this financial market. In HMM, these influencing elements that affect stock prices are referred to as hidden states of the model. These states are hidden in an HMM and follow the Markov property, but the states that are dependent on them are observable. In an HMM the observation or the visible state has a probability distribution that corresponds to a probable state at time t . The study is based on Sensex closing share prices (hidden state) influencing HDFC Bank share prices. The major goal of this article is to forecast HDFC Bank's share prices in the near future and to examine its long-term prospects by applying HMM containing three hidden states and three visible states.

1.1 Literature review

In recent years, a significant amount of research has been published in the hopes of finding an ideal (or nearly optimal) stock market analysis and prediction model. The statistical time series analysis approaches including linear regression, ARMA [5] and multiple regression models have been used in the majority of forecasting research. Traditional statistical prediction models are based on linear time series data.

When evaluating market situations and the transition law between different states, HMM can be used to solve problems involving time series data, regardless of whether the data is linear or nonlinear. HMM can be defined as the statistical Markov chain model where the system being modeled is assumed to be a Markov process with hidden or invisible states. Initially, the concept of Markov chain (MC) was introduced by a Russian mathematician after his name Andrei Andreevic Markov (1856–1922). Later, Leonard E. Baum and other academics researchers published a series of studies [6] on Markov chain model in the late 1960s and early 1970s. In 2014, Juan et al. demonstrated the use of a Markov model in decision process [7] to determine the best strategy for orange farm management. Because it takes fewer calculations to arrive at the best solution,

policy iteration is more efficient than linear programming. The change in states of MC that is from one state to another in discrete time is referred to as state transitions and according to Alghamdi in [8], the Markov chain follows memory less property or Markov property, which states that the probability of going from one state to another depends only on its current state and not on its history.

A number of researchers have recently used HMM to analysis and predict the share prices in the stock market. In 2005, Hassan and Nath applied an HMM for the prediction of share prices of interconnected markets in [9]. The HMM is utilized with the four states of observations, such as close, open, high, and low prices, to forecast the future closing price of several airline stocks. In 2006, Guidolin and Timmermann applied HMM with four states and numerous observations to investigate asset allocation decisions on the basis of state-switching in market return [10]. In 2012, Kritzman et al. used a two-state HMM to forecast the inflation rate, volatility in the market and the industrial production index [11]. In 2012, Gupta, A., and Dhingra, B. proposed a Posterior hidden Markov prediction model in [12] for the time series analysis data. The share prices that occur within one day, such as the high and low values of the shares, are used in this model to forecast the next day's share price. Kavitha G et. al in 2013 applied HMM the trend analysis of stock market behaviour in [13]. They found out the hidden sequence given the observation sequence for analysis of trend movement of share price using the steady state probability distributions. Again, in the same year, Nobakht et al. [14] applied an HMM where they used different observation or visible data such as open price, close price, low price, high prices of share in order to forecast its closing price. Tuyen applied a normally distributed HMM in [15] on VN-Index historical data in 2013 to obtain the best Markov model. In 2014, Nguyen used HMM to estimate economic states and share prices using both single and multiple observations in [16] and later in 2015, Nguyen et. al used the HMM to forecast the invisible state of market data and choose stocks on the basis of the projected state [17]. Holzmann et al. observed the states and state space in an HMM in 2016 and discovered the state with the highest volatility, which corresponded the financial crisis [18]. Liu et al. [19] employed a three state HMM in order to explain the time changing distribution of Chinese stock market returns in 2017. In 2018, Nguyen, N discussed the application of HMMs [20] in stock trading based on stock price predictions. To obtain an ideal number of states in HMM, this technique starts by applying the four principles such as the Akaike information criterion AIC, Bayesian information criterion BIC, Hannan Quinn information criterion HQIC, and the Boz Dogan Consistent Akaike Information criterion BDCAIC. Huang et al. [21] investigated non-homogeneous HMMs and proposed a better EM approach for detecting bull and bear market movements in 2019. Suda and Spiteri in 2019 make similar comparisons in [22] to S & P 500 (Standard & Poor's 500), the standard stock index that has been the subject of various finance research. In this regard, a technique for predicting future stock market patterns is being developed. In 2020, Liu et al. proposed an HMM in the context of a transition in the states of an economy and investigated option pricing as the pricing system shifted risks [23].

From the existing literature, it is clearly observed that the HMMs are applied for the stock market data. The trend analysis of the stock market is obtained using HMM in this study by taking into account the one-day difference in closing price for a period of time. In this approach, HMM is used in order to predict the behavior of the visible states by using the effect of invisible states. The present study is done using HMM, its parameters (A, B, π) , and the probability distribution for the sequence of visible states in order to analyze and predict the long-run behavior of stock movement of HDFC Bank in the stock market.

2 Methodology

2.1 Markov chain model (MC model)

A MC model is a random/stochastic model that describes a series of possible events, with the likelihood of each current event exclusively depends upon its instantaneous previous event and forgets about its history. The Markov chain means that given X_t the state $X_{(t+1)}$ depends only upon X_t but not on $X_{(t-1)}, \dots, X_1, X_0$. Because of its Markovian features, powerless interest in accurate information, and predicting behavior with many preferences, the Markov model is important in statistics. Mathematically, the Markov property represents if $\{X_n, n \geq 0\}$ is a random process with discrete state space S , then $P(X_{t+1} = x_{t+1} / X_t = x_t, X_{t-1} = x_{t-1}, \dots, X_1 = x_1, X_0 = x_0) = P(X_{t+1} = x_{t+1} / X_t = x_t)$ for all $t = 0, 1, 2, 3, \dots$ and for all states $x_0, x_1, \dots, x_t, x_{t+1}$. The state-space is defined as the countable set S containing all

possible values of X_i . The condition of the any state of the system may change over time. The transition probability, represented as a_{ij} , is the likelihood that the process will move from state i in the n^{th} step to state j in the $(n+1)^{\text{th}}$ step. Hence $a_{ij} = P(X_{n+1} = j | X_n = i)$ for all $i, j \in S$ and $n \geq 0, 1 \leq i, j \leq N$.

2.2 Hidden Markov Model (HMM)

Hidden Markov model is a statistical Markov model in which the system under consideration is assumed to be a Markov process, which we refer to X , with hidden, or invisible states. It is assumed that there is another process, we call it Y , whose movement is influenced by the hidden process X . Suppose X_n and Y_n be two stochastic processes such that $n \geq 1$, then the pair $\{X_n, Y_n\}$ is an HMM if the first process X_n follows Markov property whose trend behaviour is not directly visible and $P(Y_m = y_m / X_1 = x_1, X_2 = x_2, \dots, X_m = x_m) = P(Y_m = y_m / X_m = x_m)$ for every $n \geq 1$. In our probabilistic model, HMM allows us to discuss about both visible and hidden events that we think of as causal factors. Therefore, the HMM is defined as a stochastic model in which the invisible or hidden states are supposed to follow a Markov Property, and it outperforms the other models in terms of accuracy. The parameters of an HMM (λ) are A, B and π and are determined using the supplied or given input values. The overall HMM is written as $\lambda = (S, V, A, B, \pi)$ where the set $S = \{H_1, H_2, \dots, H_N\}$ contains of N possible hidden/invisible states, the set $V = \{V_1, V_2, \dots, V_M\}$ are M possible visible states, A is a square matrix of dimension N that is called the transition matrix or (TPM), B is also an $N \times M$ rectangular matrix of observation probabilities which is termed as observed probability matrix (OPM) and finally the N dimensional vector π contains the probability of hidden which is known as the initial probability vector (IPV). These parameters A, B and π of HMM satisfy

$$\sum_{j=1}^N a_{ij} = 1, \sum_{j=1}^M b_{ij} = 1 \text{ and } \sum_{i=1}^N \pi_i = 1, \pi_i \geq 0 \text{ for } 1 \leq i \leq N.$$

3 Description of the Model

The present study deals with three hidden states, namely the influencing states such as loss (H_1), no change (H_2), and Gain (H_3) of share prices in Sensex. The impact will result in getting the observed states like Fall (V_1), remain same (V_2), and rise (V_3) in the share prices of HDFC bank. The three invisible and three visible states for the paper are defined in the following sections 3.1 and 3.2 respectively.

3.1 Hidden states

These three hidden states are defined on the basis of the difference between the next day's and the previous day closing share prices of Sensex. Symbolically, we write these three states as follows.

H₁: When $(x_t - x_{t-1}) < -1$, the Sensex share price is in the state of loss (L).

H₂: When $-1 < (x_t - x_{t-1}) < +1$, the Sensex share price is in the state of no change (N).

H₃: When $(x_t - x_{t-1}) > +1$, the Sensex share price is gaining (G).

Where, x_t is the current and x_{t-1} is the previous closing share price of Sensex.

3.2 Visible states

In the same way, the three visible states are obtained by the difference between the next and the previous day's closing share prices of HDFC bank. Symbolically, we write these three states as follows.

V₁: When $(y_t - y_{t-1}) < -1$, the HDFC bank share price is in the state of fall (F)

V₂: When $-1 < (y_t - y_{t-1}) < +1$, the HDFC bank share price remains same (S).

V₃: When $(y_t - y_{t-1}) > +1$, the HDFC bank is in the state of rise (R).

Where, y_t is the current and y_{t-1} is the previous closing share price of HDFC bank.

The schematic diagram or state transition diagram of the transitions of hidden states and visible states is displayed below in Fig. 1. The arrow marks are depicting the connectivity from and to the states.




Fig. 1. Schematic diagram of HMM

In this paper, H₁=L, H₂=N and H₃=G and Similarly, V₁=F, V₂=S and V₃=R.

Three fundamental problems:

- I. Given the observation or visible sequence $V = \{V_t, t = 1, 2, 3, \dots, T\}$ and model $\lambda = (A, B, \pi)$; calculate $P(V|\lambda)$, that is to compute probability of visible sequence $V_1V_2V_3\dots V_T$.
- II. Given the visible sequence $V = \{V_t, t = 1, 2, 3, \dots, T\}$ and HMM $\lambda = (A, B, \pi)$, choose the most likely hidden sequence $H = \{H_t, t = 1, 2, 3, \dots, T\}$ that best explains the visible sequence.
- III. Given the visible data $V = \{V_t, t = 1, 2, 3, \dots, T\}$, how do we adjust the parameters $\lambda = (A, B, \pi)$, in order to maximize $P(V|\lambda)$.

Where, A, B and π are TPM, OPM, and IPV. Either forward or backward algorithms developed by Baum et al. in 1967 and in 1968 [24,25] can be applied to solve problem (I) whereas both forward and backward algorithms which is also known as Baum–Welch algorithm is used to solve problem (III). The Viterbi algorithms given by Forney, G.D in 1973 and Viterbi, A.J in 1967 solves Problem (II) [26,27]. In the present paper, the probabilities of the visible state sequences of specific length are obtained using the parameters of HMM.

4 Probability of visible state sequences of length One and Two

In this section, we have obtained the formula for computing the probability of visible states (V_j, j = 1, 2, 3). These probabilities are obtained by the effect of hidden states (H_j, j = 1, 2, 3). Hence the probability expression of visible states is obtained in equation 4.

$$P(V_j) = \sum_{i=1}^3 \pi_i b_{ij} \geq 0, \text{ for } j = 1, 2, 3 \text{ such that } \sum_{j=1}^3 P(V_j) = 1 \quad (4)$$

Since the visible states occur by the influence of hidden/invisible states. Therefore, probability of the sequence of two visible states can occur by the happening of nine different possible combinations of invisible states. Symbolically, we write the probability of $(V_u V_v)$ for all (u, v = 1, 2, 3) can happen jointly with the happening of

(H₁H₁), (H₁H₂), (H₁H₃), (H₂H₁), (H₂H₂), (H₂H₃), (H₃H₁), (H₃H₂) and (H₃H₃). The probability of the sequence of two visible states is obtained in following expression 4.1:

$$P(V_u V_v) = \sum_{j=1}^3 (b_{ju})(b_{jv}) \left\{ \sum_{i=1}^3 \pi_i a_{ij} \right\}, i, j = 1, 2, 3 \quad \forall u, v = 1, 2, 3 \quad (4.1)$$

For a specific combination say (V₁V₁), the formula is given in equation 4.2.

$$P(V_1 V_1) = \sum_{j=1}^3 (b_{j1})(b_{j1}) \left\{ \sum_{i=1}^3 \pi_i a_{ij} \right\}, i, j = 1, 2, 3 \quad (4.2)$$

Similarly, we can also find the probability of all possible sequences of length two such as (V₁V₂), (V₁V₃), (V₂V₁), (V₂V₂), (V₂V₃), (V₃V₁), (V₃V₂) and (V₃V₃) by using equation 4.1.

5 Probability distribution of Visible States

Let $X_k(\omega)$ be a random variable that represents the number of times the state V_k occurs in a sequence of length $T=2$. Then $X_k(\omega) = 0, 1, 2, \dots, T$ where 'T' denotes the length of the visible sequence. Thus, the random variable $X_k(\omega)$ is said to follow the derived probability distribution if it takes the integral values of 0, 1, 2 and its P.M.F is given by

$$P(X_k(\omega) = x_k) = \begin{cases} \sum_{j=1}^M \left\{ C_x^2 b_{jk}^x (1 - b_{jk})^{2-x} (\alpha) \right\}, & \text{for } x = 0, 1, 2 \\ 0 & , \quad \text{otherwise} \end{cases} \quad (5)$$

Where $\alpha = \sum_{i=1}^N \pi_i a_{ij}$

This is the general probability distribution for the visible states. The probability distribution for the visible state V_1, V_2 and V_3 are obtained by putting the $k=1, 2, 3$. In the present paper, the number of hidden states $N=3$, the number of visible states $M=3$ and the length of visible sequence $T=2$.

5.1 Statistical measures for the derived probability distribution

In this section, the moments and various statistical parameters are obtained for the derived probability distribution. The r^{th} moment about origin of the above probability distribution is derived using the equation 5.1.

$$\mu_r' = 2 \sum_{j=1}^M b_{jk} \left[\left\{ 1 + (2^{r-1} - 1) b_{jk} \right\} \left(\sum_{i=1}^N \pi_i a_{ij} \right) \right], r = 1, 2, 3, 4 \dots \quad (5.1)$$

The formula for the mean and the variance for the derived probability distribution are in equations 5.2:

$$\begin{aligned} \mu_1' &= 2 \sum_{j=1}^M \left[b_{jk} \left(\sum_{i=1}^N \pi_i a_{ij} \right) \right] \\ \mu_2 &= 2 \sum_{j=1}^M \left[b_{jk} (1 + b_{jk}) (\alpha) \right] - [2\beta]^2 \end{aligned} \tag{5.2}$$

Similarly, to find the shaping and peakedness measures of the distribution, we need to find the third and fourth central moments. The expression for the third and the fourth central moments are derived in equation 5.3;

$$\begin{aligned} \mu_3 &= 2\beta(4\beta)(2\beta-1) + 6(2\beta-1)\gamma \\ \mu_4 &= 2\beta(4\beta-1) \left(-3(2\beta)^2 + 6\beta - 1 \right) + \left(12(2\beta)^2 - 24(2\beta) + 7 \right) \gamma \end{aligned} \tag{5.3}$$

Hence the measure of skewness (β_1), measure of kurtosis (β_2), γ_1 and γ_2 of the above probability distribution are obtained in the following expressions 5.4 respectively.

$$\begin{aligned} \beta_1 &= \left(2\beta(4\beta)(2\beta-1) + 6(2\beta-1)\gamma \right)^2 (A)^{-3} \\ \beta_2 &= \left[2\beta(4\beta-1) \left(-3(2\beta)^2 + 6\beta - 1 \right) + \left(12(2\beta)^2 - 24(2\beta) + 7 \right) \gamma \right] [A]^{-2} \\ \gamma_1 &= \left(2\beta(4\beta)(2\beta-1) + 6(2\beta-1)\gamma \right) (A)^{\frac{3}{2}} \\ \gamma_2 &= \left[2\beta(4\beta-1) \left(-3(2\beta)^2 + 6\beta - 1 \right) + \left(12(2\beta)^2 - 24(2\beta) + 7 \right) \gamma \right] [A]^{-2} - 3 \end{aligned} \tag{5.4}$$

Where $A = 2 \sum_{j=1}^M \left[b_{jk} (1 + b_{jk}) (\alpha) \right] - [2\beta]^2$, $\alpha = \sum_{i=1}^N \pi_i a_{ij}$; $\beta = \sum_{j=1}^M b_{jk} (\alpha)$, $\gamma = \sum_{j=1}^M b_{jk}^2 \{ \alpha \}$, a_{ij} ,

b_{ij} and π_i are respectively the elements of TPM, OPM and IPV. In this study, we have N=M=3 and K=1,2,3.

6 Empirical Data Modelling and Statistical Analysis

In the present paper, the daily data of share prices of Sensex were used as hidden states, which influence the closing share price of HDFC bank. We have collected 494 observations of both the Sensex and HDFC bank from 3 April 2017 to 29 March, 2019, i.e., for almost three years of data from the BSE (www.bseindia.com & www.yahoofinance.com). The data is of a discrete time-discrete state. The summary statistics of the two daily date sets of HDFC bank and Sensex are presented in Table 1.

Table 1. Summary Table of Sensex closing prices and HDFC bank share values.

| | Closing share Prices | | | | | |
|-----------|----------------------|--------|----------|----------|-------|-------------|
| | Minimum | Mean | Variance | Maximum | CV | Correlation |
| HDFC Bank | 1433.4 | 1915.6 | 34699.41 | 2316.5 | 9.725 | 0.936 |
| SENSEX | 29319.1 | 29788 | 5186222 | 38896.63 | 7.646 | |

From the Table 1, we observe that the correlation between the two data sets the invisible (Sensex) and the visible states (HDFC bank), is 0.936. This means that the two states are highly positively correlated, i.e., the change in Sensex influences the likelihood of HDFC bank.

Table 2. Frequency table of the F, S, R, L, N, G and the combination of two

| States | Frequency | States | Frequency | States | Frequency | States | Frequency |
|--------|-----------|--------|-----------|--------|-----------|--------|-----------|
| L | 255 | LL | 133 | NL | 1 | GL | 113 |

| | | | | | | | |
|---|-----|----|-----|----|---|----|-----|
| F | 212 | LF | 144 | NF | 0 | GF | 70 |
| N | 2 | LN | 1 | NN | 0 | GN | 1 |
| S | 31 | LS | 14 | NS | 0 | GS | 17 |
| G | 267 | LG | 110 | NG | 1 | GG | 153 |
| R | 251 | LR | 67 | NR | 2 | GR | 180 |

The daily data regarding the closing share prices of Sensex and HDFC bank are converted in to states labels such as L, N, G and F, S R defined in section 3.1 and 3.2 in MS excel using IF command. Frequency table for all the three hidden states L, N, G and F, S, R is collected by COUNTIF function in MS excel and is displayed in Table 2.

6.1 Transition probability matrix

The TPM of a MC model gives the probabilities of moving from one state to another in a single time unit. Since we have applied the HMM, the TPM is the matrix of transition probabilities of reaching to hidden state j from hidden state i . The elements of TPM are denoted by a_{ij} and are defined as $a_{ij} = P(X_{t+1} = j | X_t = i)$. Note that all the elements of the TPM are positive and the row sum must add up to one.

The transition frequency matrix is given by.

$$P = \begin{matrix} & \begin{matrix} L & N & G \end{matrix} \\ \begin{matrix} L \\ N \\ G \end{matrix} & \begin{bmatrix} 133 & 1 & 110 \\ 1 & 0 & 1 \\ 113 & 1 & 153 \end{bmatrix} \end{matrix} \begin{matrix} 244 \\ 2 \\ 267 \end{matrix}$$

TPM from X_{n-1} to X_n is obtained in matrix A.

$$A = \begin{matrix} & \begin{matrix} L & N & G \end{matrix} \\ \begin{matrix} L \\ N \\ G \end{matrix} & \begin{bmatrix} 0.545082 & 0.004098 & 0.45082 \\ 0.5 & 0 & 0.5 \\ 0.423221 & 0.003745 & 0.573034 \end{bmatrix} \end{matrix}$$

In the above matrix A, it can easily be seen that there will be loss, no change and gain with respective probability 0.54, 0.004 and 0.57 in the share prices of Sensex in the next day when it was in the state of loss in the previous day. In the third row, we can say that the share prices of Sensex will be in the state of L, N, or G with probabilities 0.42, 0.003 and 0.57 respectively in the next day given that it was in the state of G in the previous day. It is observed from matrix A that when the system is in the state of gain, there is highest probability of gaining the share price of Sensex in the next day.

6.2 Observed probability matrix

OPM is also the matrix of observed or emission probabilities from hidden states to visible states. The elements of OPM are the conditional probabilities of observed states given hidden states. In the present paper, the hidden states are L, N and G of Sensex which influence the change in visible states such as F, S and R of HDFC bank. The elements of OPM are denoted by b_{ij} and are defined as $b_{ij} = P(Y_t = j | X_t = i)$. Observed frequency table from the invisible states of Sensex to the visible states of HDFC bank are obtained in the following matrix O.

$$O = N \begin{matrix} & F & S & R \\ L & \begin{bmatrix} 144 & 14 & 67 \end{bmatrix} & 225 \\ & \begin{bmatrix} 0 & 0 & 2 \end{bmatrix} & 2 \\ G & \begin{bmatrix} 70 & 17 & 180 \end{bmatrix} & 267 \end{matrix}$$

Therefore, OPM from state X_n of the Invisible state to state Y_n of the visible state is also calculated using MS Excel and R and is given by

$$B = N \begin{matrix} & F & S & R \\ L & \begin{bmatrix} 0.64 & 0.062222 & 0.297778 \end{bmatrix} \\ & \begin{bmatrix} 0 & 0 & 1 \end{bmatrix} \\ G & \begin{bmatrix} 0.262172 & 0.06367 & 0.674157 \end{bmatrix} \end{matrix}$$

This matrix shows us how and to what extent the change in invisible states is influencing the change in the visible states. In this study, HMM is used to predicting the share prices of HDFC bank by identifying the change in the share prices of Sensex by obtaining TPM and OPM. It is observed from the matrix B that when the closing price of Sensex is in the state of gain, there is 67% probability of rising the share price of HDFC.

6.3 Initial probability vector

In order to calculate the IPV, we need to obtain the initial frequency table. The initial frequency table is the frequency of invisible states which is presented in Table 3.

Table 3. Initial frequency table

| States | Loss (L) | No change (N) | Gain (G) | Total |
|-----------|----------|---------------|----------|-------|
| Frequency | 267 | 2 | 225 | 494 |

IPV is the probabilities of the hidden states. Therefore, from the above initial frequency table, we obtained the vector π which is the probability of loss, no change and gain in the closing prices of Sensex.

$$\pi = [0.540486 \quad 0.004049 \quad 0.455466]$$

This vector reveals that there are 54% chances of losing and 45% chances gaining the share price of Sensex. The schematic diagram of our model parameters is presented empirically in Fig. 2. The numbers on the respective arrows represents the probabilities from one state to another state.




Fig. 2. Schematic diagram of the HMM

6.4 Probabilities of the sequence of visible states

Probabilities of the visible states that is the probability of fall (F) in the share values of HDFC bank, the probability that the share value remains same (S) and the probability of rise (R) the share values of the HDFC bank are obtained using the equation 4 from section 4 are.

Table 4. Probabilities of the sequence of single visible states

| | | |
|---------------|--------------|---------------|
| P(F)=0.465321 | P(S)=0.06263 | P(R)=0.472049 |
|---------------|--------------|---------------|

From above, we have observed that the probability of falling and raising the share values of HDFC bank are almost same which represents the volatility of share market. Again, using the equation from section 4, the probability of the sequence of two visible states are also obtained in the following Table 6.

Table 5. Probabilities of the sequence of two visible states

| | | |
|---------------------|---------------------|---------------------|
| P (F, F) = 0.235283 | P (S, F) = 0.02795 | P (R, F) = 0.182822 |
| P (F, S) = 0.027947 | P (S, S) = 0.003949 | P (R, S) = 0.030817 |
| P (F, R) = 0.182822 | P (S, R) = 0.030817 | P (R, R) = 0.277598 |

P (F, F) is the probability of fall in the share prices of HDFC bank for the two consecutive days. From the table-6, it is observed that the rising share prices of HDFC bank for the two consecutive days is maximum. It reveals that there is highest probability associated with rising the share prices of HDFC bank tomorrow, if the share values of HDFC bank is in the state of rise today.

6.4.1 Descriptive statistical measures

The values of the parameters like mean and variance of the derived probability distribution for the real time data using the equations 5.2 derived in section 5.1 are also obtained. In this section, we will discuss the parameters of the falling state only. The mean $\mu_1=0.57889$ and $\mu_2=0.714343$ are obtained using R and Excel. The coefficient of skewness and the coefficient kurtosis of the probability distribution of falling state (F) are presented in Table 6.

Table 6. Statistical parameters of the model

| Parameters | Values | Parameters | Values | Parameters | Values |
|------------|---------|------------|----------|------------|----------|
| μ_3 | 0.14983 | β_1 | 0.061587 | γ_1 | 0.248167 |
| μ_4 | 1.0242 | β_2 | 2.007112 | γ_2 | 0.99289 |

6.5 Long term or steady state behavior in Sensex prices

Forecasting of long run behavior of Sensex is very meaningful for investors. The long run behavior of Sensex is observed by determining the higher order TPM. The TPM obtained in section 6.1 is given by

$$A = \begin{bmatrix} 0.545082 & 0.004098 & 0.45082 \\ 0.5 & 0 & 0.5 \\ 0.423221 & 0.003745 & 0.573034 \end{bmatrix}$$

This TPM is an Ergodic Markov chain, which means it is irreducible, positively recurrent, aperiodic, and time homogeneous. That is for an ergodic Markov chain, $\lim_{n \rightarrow \infty} a_{ij}^{(n)}$ exists and is independent of i. This assumption of

ergodicity helps in the predicting of the share prices in the long-term behaviour. Here the stationary matrix for the share values of Sensex is obtained as follows.

$$A^8 = \begin{matrix} & \begin{matrix} L & N & G \end{matrix} \\ \begin{matrix} L \\ N \\ G \end{matrix} & \begin{bmatrix} 0.4822932 & 0.003900978 & 0.5138058 \\ 0.4822932 & 0.003900978 & 0.5138058 \\ 0.4822932 & 0.003900978 & 0.5138058 \end{bmatrix} \end{matrix}$$

From the above matrix, we observe that the stationary is reached at 8th step that is the steady-state is obtained at A^8 which represents that after the 8th trading days since 494 trading days, the TPM tends to the state of equilibrium or steady state. After then the TPM remains unchanged for the onwards trading days. This steady state TPM of Sensex reveals the following information.

1. The probability of loss in the closing price of Sensex in near future and in the long run irrespective of its initial states weather it was in L, N or G is 0.48.
2. There are 0.003 likelihood that Sensex prices will have no change in future irrespective of its initial.
3. The probability of gain in the closing price of Sensex future no matter what the initial states is weather L or N or G is 0.51.

We can conclude from the above information that probability of gaining (G) in the closing prices of Sensex is having greater likelihood in future irrespective of its initial state it was, whether Loss, No change or Gain.

6.6 Steady state behavior of HDFC bank

Since the matrix B is also an irreducible that is independent of where we start from, if we let the chain run for a long period of time, then the distribution of Y_n will converge to a matrix of identical column elements. The OPM is obtained in section 6.2 as

$$B = \begin{matrix} & \begin{matrix} F & S & R \end{matrix} \\ \begin{matrix} L \\ N \\ G \end{matrix} & \begin{bmatrix} 0.64 & 0.062222 & 0.297778 \\ 0 & 0 & 1 \\ 0.262172 & 0.06367 & 0.674157 \end{bmatrix} \end{matrix}$$

Similarly, as in section 6.5, the stationary behavior of the share prices of HDFC Bank are obtained after multiplying 19 number of times as given in the following matrix.

$$B^{19} = \begin{matrix} & \begin{matrix} F & S & R \end{matrix} \\ \begin{matrix} L \\ N \\ G \end{matrix} & \begin{bmatrix} 0.396386 & 0.05931947 & 0.5442946 \\ 0.396386 & 0.05931947 & 0.5442946 \\ 0.396386 & 0.05931947 & 0.5442946 \end{bmatrix} \end{matrix}$$

The steady-state is obtained at B^{19} and it represents that after the 19th trading days since 494 days, OPM tends to the state of equilibrium or the steady state. The OPM remains unchanged after then, for the onwards consecutive trading days. The above stationary distribution reveals the following information.

1. There are 40% chances that closing share prices of HDFC bank will fall (F) in the near future and in the long run irrespective of its initial states whether there is L, N or G in the price of Sensex.
2. There are 5% chances that share prices of HDFC bank will remain in the same state (S) in the future irrespective of its initial states.
3. There are 55% probability that the closing share prices of HDFC bank will be rise (R) in future no matter whether there is loss, no change or gain in the share value of Sensex.

The above information clearly reveals that rising (R) in the share prices of HDFC bank in future has maximum probability. It can hence be recommended that investing in HDFC Bank for the long run is a good choice for the investors and share value of HDFC Bank is on rising from the 19th day onwards, it may be suggested for selling of HDFC Bank share after the 19th day.

7 Findings and Conclusion

Existing literature shows that HMMs are applied in order to forecast the stock market trend, and the calculation is done up to the HMM parameters (A, B, π). The present work is based on HMM along with the development of probability distribution obtained in section-5. The expression for all the statistical parameters is obtained in section 5.1 for the derived probability distribution.

Observing the data on the share values of HDFC Bank and the closing price of Sensex for two finance years from April 2017- Mar 2019, we have around 495 observations which revealed the significant correlation (95%) between HDFC Bank share values and Sensex prices. The coefficient of variation for HDFC bank share values and Sensex closing prices are 9.724 and 7.645, respectively presented in Table 1. Results of TPM is disclosed in section 6.1 regarding the transits of Sensex closing prices. The OPM regarding the visible states of HDFC bank share values is disclosed in section 6.2. The IPV presented in section 6.3 reveals that the state of loss has 54.05% likelihood and the state of gain percentage is 45.55% observed with Sensex prices. The probabilities of visible sequences with one value disclosed in Table 4 section 6.4 reveal that the chance for rise and fall in the share prices of HDFC are 0.47, and 0.46 respectively. As per the results in Table 5 in section 6.4, It is observed that there is the maximum likelihood of rising the share prices of HDFC bank in consecutive two days.

Stationary probabilities, presented in section 6.5, reveals that transition probabilities become stationary with order 8 (8th step transition). Steady state TPM of Sensex concludes that there is 48% likelihood of losing and 51% of gaining the prices of Sensex in future irrespective of its initial state. The steady-state for OPM is obtained at B^{19} in section 6.6. This stationary distribution of OPM for the share prices of HDFC bank reveals that there are 40% chances that share values of HDFC Bank will fall and 55% probability that share values of HDFC bank will rise in the near future irrespective of its initial state. It may be interpreted that share value of HDFC bank is on rising from the 19th day onwards and it may be suggested that investing in HDFC bank in the long run could be the best choice for investors.

The results in section-6.4.1 reveal that, on average, the HDFC bank share value falls having mean time 0.57889 with variance 0.714343, which indicates that the share value is always in the raising state. As per the values of $\mu_3 = -0.14983$, $\beta_1 = 0.061587$, which implies that there exists negative skewness on the price value distribution. Hence, we can infer that the average rising value is always less than the model raising values. The coefficient of β_2 and γ_2 reveals that the consistency or peakedness of the distribution curve is just below the normal.

Competing Interests

Authors have declared that no competing interests exist.

References

- [1] Yu J, Meyer R. Multivariate stochastic volatility models: Bayesian estimation and model comparison. Research Collection School of Economics. 2006;25(2-3):361-384.
- [2] A Kuo R J, Lee L C and Lee C F. Integration of Artificial NN and Fuzzy Delphi for Stock market forecasting. IEEE International Conference on Systems, Man, and Cybernetics. 1996;2:1073-1078.
- [3] Umar Ms and Musa Tm. Stock prices and firm earning per share in Nigeria. JORIND. 2013;11(2):187-192.

- [4] Dar Q, Dar,GF, Ma JH, Ahn YH. Visualization, Economic Complexity Index, and Forecasting of South Korea International Trade Profile: A Time Series Approach. *Journal of Korea Trade*. 2020;24(1):131-145.
- [5] Kimoto T, Asakawa K, Yoda M and Takeoka M. Stock market prediction system with modular neural networks. *Proc. International Joint Conference on Neural Networks, San Diego*. 1990;1: 1-6.
- [6] Rabiner LR. A tutorial on hidden Markov models and selected applications in speech recognition. *Proc IEEE*. 1989;77(2):257–286.
- [7] Landeta JMI, Cortés CBY, Azúa HM. Markovian decision process to find optimal policies in the management of an orange farm. *Investigación Operacional*. 2014;35(1):68-77.
- [8] Alghamdi R. Hidden Markov models (HMMs) and security applications. *International Journal of Advanced Computer Science and Applications*. 2016;7(2):39-47.
- [9] Hassan MR, Nath B. Stock market forecasting using hidden Markov model: a new approach. In *5th International Conference on Intelligent Systems Design and Applications IEEE, (ISDA'05)*. 2005;192-196.
- [10] Guidolin, Massimo, Allan Timmermann. The architecture of complex weighted networks. *SSRN FRB of St. Louis Working Paper No. 2005-002C, FRB of St. Louis, MO, USA; 2006*.
- [11] Kritzman, M, Page S, Turkington D. Regime shifts: Implications for dynamic strategies (corrected). *Financial Analysts Journal*. 2012;68(3):22-39.
- [12] Gupta, A, and Dhingra B. Stock market prediction using hidden Markov models. In *2012 Students Conference on Engineering and Systems IEEE*. 2012;1-4.
- [13] Kavitha G, Udhayakumar A, Nagarajan D. Stock market trend analysis using hidden Markov models. *arXiv preprint arXiv:1311.4771; 2013*.
- [14] Nobakht B, Joseph CE, Loni B. Stock market analysis and prediction using hidden Markov models. Paper presented at the *2012 Students Conference on IEEE Engineering and Systems (SCES), Allahabad, Uttar Pradesh, India, March 16–18*. 2012;1–4.
- [15] Tuyen LT. Markov financial model using hidden Markov model. *International Journal of Applied Mathematics and Statistics*. 2013;40(10):72-83.
- [16] Nguyen, Nguyet Thi. *Probabilistic Methods in Estimation and Prediction of Financial Models*. (Doctoral dissertation, The Florida State University; 2014).
- [17] Nguyen N, Nguyen D. Hidden Markov Model for Stock Selection. *Risks*. 2016;3:455–473.
- [18] Holzmann H, Schwaiger F. Testing for the number of states in hidden Markov models. *Computational Statistics & Data Analysis*. 2016;100:318-330.
- [19] Liu Z, Wang S. Decoding chinese stock market returns: Three-state hidden semi-Markov model. *Pacific-Basin Finance Journal*. 2017;44:127-149.
- [20] Nguyen N. Hidden Markov model for stock trading. *International Journal of Financial Studies*. 2018;6(2):36.
- [21] Huang M, Huang Y, HE K. Estimation and testing non-homogeneity of Hidden Markov model with application in financial time series. *Statistics and Its Interface*. 2019;12(2):215-225.

- [22] Suda D, Spiteri L. Analysis and Comparison of Bitcoin and S and P 500 Market Features Using HMMs and HSMMs. *Information*. 2019;10(10):322.
- [23] Liu D. Markov modulated jump-diffusions for currency options when regime switching risk is priced. *International Journal of Financial Engineering*. 2019;6(04):1950038.
- [24] Functions of Markov process and to a model for ecology. *Bulletin of the American Mathematical Society*. 1967;73(3):360-363.
- [25] Baum L.E. and Sell, G.R. Growth functions for transformations on manifolds. *Pac. J. Math*. 1968;27(2):211-227.
- [26] Forney GD. The Viterbi algorithm. *IEEE*. 1973;61:268–278.
- [27] Viterbi AJ. Error bounds for convolutional codes and an asymptotically optimal decoding algorithm. *IEEE transactions on Information Theory*. 1967;13(2):260-269.

© 2022 Dar et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here (Please copy paste the total link in your browser address bar)

<https://www.sdiarticle5.com/review-history/88569>